COMEC ITALIA SRL	Revision nr. 3
	Dated 19/01/2023
DILUENTE: PLD,	Printed on 19/01/2023
, ,	Page n. 1/13
	Replaced revision:2 (Dated: 24/02/2021)

Safety Data Sheet

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

DILUENTE: PLD. Product name Screen printing thinner Chemical name and synonym

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use Pad printing thinner.

1.3. Details of the supplier of the safety data sheet

Name COMEC ITALIA SRL Full address Piazzale del lavoro 149 District and Country 21044 Cavaria (VA)

ITALIA

Tel. +39 0331 219516 Fax +39 0331 216161

e-mail address of the competent person

responsible for the Safety Data Sheet info@comec-italia.it Supplier: Edgardo Baggini

1.4. Emergency telephone number

CENTRO ANTIVELENI OSPEDALE NIGUARDA MILANO Tel. 02/66101029 (24/24h) -For urgent inquiries refer to

CENTRO ANTIVELENI POLICLINICO A.GEMELL ROMA Tel. 06/3054343 (24/24h) -

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements).

Hazard classification and indication:

2.2. Label elements

Hazard pictograms:

Signal words:

Hazard statements:

Precautionary statements:

--

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration ≥ 0.1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

The product does not contain substances classified as being hazardous to human health or the environment pursuant to the provisions Regulation (EC) 1272/2008 (CLP) (and subsequent amendments and supplements) in such quantities as to require the statement.

SECTION 4. First aid measures

4.1. Description of first aid measures

Not specifically necessary. Observance of good industrial hygiene is recommended.

4.2. Most important symptoms and effects, both acute and delayed

Specific information on symptoms and effects caused by the product are unknown.

4.3. Indication of any immediate medical attention and special treatment needed

Information not available

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Revision nr. 3 **COMEC ITALIA SRL** Dated 19/01/2023 Printed on 19/01/2023 **DILUENTE: PLD,** Page n. 3/13 Replaced revision:2 (Dated: 24/02/2021)

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Use breathing equipment if fumes or powders are released into the air. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Confine using earth or inert material. Collect as much material as possible and eliminate the rest using jets of water. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use.

7.2. Conditions for safe storage, including any incompatibilities

Keep the product in clearly labelled containers. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s)

Information not available

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

DEU Deutschland Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte.

MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher

Hygieniska gränsvärden, Arbetsmiljöverkets föreskrifter och allmänna råd om hygieniska gränsvärden (AFS 2018:1) SWE Sverige

DIETHYLENE GLYCOL MONOETHYL ETHER

Threshold Limit Value				
Туре	Country	TWA/8h	STEL/15min	Remarks /

COMEC ITALIA SRL

DILUENTE: PLD,

Revision nr. 3

Dated 19/01/2023

Printed on 19/01/2023

Page n. 4/13

Replaced revision:2 (Dated: 24/02/2021)

						Observa	tions	
		mg/m3	ppm	mg/m3	ppm			
AGW	DEU	35	6	70	12		11	
NGV/KGV	SWE	80	15	170 (C)	30 (C)	SKIN		
Predicted no-effect concent	ration - PNEC							
Normal value in fresh water				1,98	mg	/I		
Normal value in marine wat	er			0,198	mg	/I		
Normal value for fresh water	er sediment			7,32	mg	/kg/d		
Normal value for marine wa	ter sediment			0,732	mg	/kg/d		
Normal value of STP micro	organisms			500	mg	/I		
Normal value for the food c	hain (secondary poisor	ning)		444	mg	/kg		
Normal value for the terrest	rial compartment			0,34	mg	/kg/d		
Health - Derived no-eff		OMEL						
	Effects on consumers				Effects on workers			
Route of exposure	Acute local	Acute systemic	Chronic local	Chronic systemic	Acute local	Acute systemic	Chronic local	Chronic systemic
						9,01011110		0,0100
Oral				50 mg/kg				
			18 mg/m3	50 mg/kg bw/d 37 mg/m3			30 mg/m3	61 mg/m
Oral Inhalation Skin			18 mg/m3	bw/d 37 mg/m3 25 mg/kg			30 mg/m3	83 mg/kg
Inhalation			18 mg/m3	bw/d 37 mg/m3			30 mg/m3	
Inhalation Skin	DIMETHYL GLUTAI	RATE, DIMETHYI	<u> </u>	bw/d 37 mg/m3 25 mg/kg bw/d	MASS		30 mg/m3	83 mg/kg
Inhalation Skin DIMETHYL ADIPATE, I		RATE, DIMETHYI	<u> </u>	bw/d 37 mg/m3 25 mg/kg bw/d	MASS		30 mg/m3	83 mg/kg
Inhalation Skin DIMETHYL ADIPATE, I Predicted no-effect concent	ration - PNEC	RATE, DIMETHYI	<u> </u>	bw/d 37 mg/m3 25 mg/kg bw/d	MASS	./I	30 mg/m3	83 mg/kg
Inhalation Skin DIMETHYL ADIPATE, I Predicted no-effect concent Normal value in fresh water	ration - PNEC	RATE, DIMETHYI	<u> </u>	bw/d 37 mg/m3 25 mg/kg bw/d			30 mg/m3	83 mg/kg
Inhalation Skin DIMETHYL ADIPATE, I Predicted no-effect concent Normal value in fresh water	eration - PNEC	RATE, DIMETHYI	<u> </u>	bw/d 37 mg/m3 25 mg/kg bw/d REACTION N	mg		30 mg/m3	83 mg/kg
Inhalation Skin DIMETHYL ADIPATE, Predicted no-effect concent Normal value in fresh water Normal value in marine wat Normal value for fresh water	eration - PNEC er	RATE, DIMETHYI	<u> </u>	bw/d 37 mg/m3 25 mg/kg bw/d REACTION N 0,018 0,002	mg mg	/I	30 mg/m3	83 mg/kg
Inhalation Skin DIMETHYL ADIPATE, I Predicted no-effect concent Normal value in fresh water Normal value in marine wat Normal value for fresh water Normal value for marine wat	er sediment	RATE, DIMETHYI	<u> </u>	bw/d 37 mg/m3 25 mg/kg bw/d REACTION N 0,018 0,002 0,16	mg mg	/l /kg/d /kg/d	30 mg/m3	83 mg/kg
Inhalation	erration - PNEC err sediment eter sediment eter sediment etermittent release	RATE, DIMETHYI	<u> </u>	bw/d 37 mg/m3 25 mg/kg bw/d REACTION N 0,018 0,002 0,16 0,016	mg mg mg	/l /kg/d /kg/d	30 mg/m3	61 mg/m 83 mg/kg bw/d
Inhalation Skin DIMETHYL ADIPATE, I Predicted no-effect concent Normal value in fresh water Normal value for fresh water Normal value for marine wat Normal value for marine wat Normal value for water, interest	er sediment ermittent release organisms	RATE, DIMETHYI	<u> </u>	bw/d 37 mg/m3 25 mg/kg bw/d REACTION N 0,018 0,002 0,16 0,016 0,18	mg mg mg mg	/l /kg/d /kg/d	30 mg/m3	83 mg/kg
DIMETHYL ADIPATE, I Predicted no-effect concent Normal value in fresh water Normal value for fresh water Normal value for marine wat Normal value for marine wat Normal value for water, inter Normal value of STP micro Normal value for the terrest	er sediment eter sediment		<u> </u>	bw/d 37 mg/m3 25 mg/kg bw/d REACTION N 0,018 0,002 0,16 0,016 0,18 10	mg mg mg mg	/l /kg/d /kg/d /l	30 mg/m3	83 mg/kg
Inhalation Skin DIMETHYL ADIPATE, I Predicted no-effect concent Normal value in fresh water Normal value in marine wat Normal value for fresh water Normal value for marine wat Normal value for water, interediction	er sediment eter sediment		<u> </u>	bw/d 37 mg/m3 25 mg/kg bw/d REACTION N 0,018 0,002 0,16 0,016 0,18 10	mg mg mg mg	/l /kg/d /kg/d /l	30 mg/m3	83 mg/kg
Inhalation Skin DIMETHYL ADIPATE, I Predicted no-effect concent Normal value in fresh water Normal value in marine wat Normal value for fresh water Normal value for marine wat Normal value for water, inter Normal value of STP micro Normal value for the terrest	er sediment ermittent release organisms rial compartment fect level - DNEL / I		<u> </u>	bw/d 37 mg/m3 25 mg/kg bw/d REACTION N 0,018 0,002 0,16 0,016 0,18 10	mg mg mg mg mg mg mg	/l /kg/d /kg/d /l	30 mg/m3 Chronic local	83 mg/kg

Legend:

(C) = CEILING; INHAL = Inhalable Fraction; RESP = Respirable Fraction; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

Comply with the safety measures usually applied when handling chemical substances.

HAND PROTECTION

COMEC ITALIA SRL Revision nr. 3 Dated 19/01/2023 Printed on 19/01/2023 Page n. 5/13 Replaced revision:2 (Dated: 24/02/2021)

None required.

SKIN PROTECTION None required.

EYE PROTECTION None required.

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Information

SECTION 9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value
Appearance	liquid
Colour	colourless
Odour	typical of solvent
Melting point / freezing point	not available
Initial boiling point	> 140 °C
Flammability	not available
Lower explosive limit	not available
Upper explosive limit	not available
Flash point	> 60 °C
Auto-ignition temperature	not available
Decomposition temperature	not available
рН	not available
Kinematic viscosity	not available
Solubility	not available
Partition coefficient: n-octanol/water	not available
Vapour pressure	not available
Density and/or relative density	1,02
Relative vapour density	not available
Particle characteristics	not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 100,00 % - 1.018,01

g/litre

SECTION 10. Stability and reactivity

10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

DIETHYLENE GLYCOL MONOETHYL ETHER

Forms explosive mixtures with: air. May react dangerously with: oxidising agents, aluminium.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials

Information not available

10.6. Hazardous decomposition products

Information not available

SECTION 11. Toxicological information

According to currently available data, this product has not yet produced health damages. Anyway, it must be handled according to good industrial practices.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Revision nr. 3 **COMEC ITALIA SRL** Dated 19/01/2023 Printed on 19/01/2023 **DILUENTE: PLD,** Page n. 7/13 Replaced revision:2 (Dated: 24/02/2021) Information on likely routes of exposure Information not available Delayed and immediate effects as well as chronic effects from short and long-term exposure Information not available Interactive effects Information not available ACUTE TOXICITY ATE (Inhalation) of the mixture: Not classified (no significant component) ATE (Oral) of the mixture: Not classified (no significant component) ATE (Dermal) of the mixture: Not classified (no significant component) DIETHYLENE GLYCOL MONOETHYL ETHER LD50 (Dermal): 9143 mg/kg Coniglio / Rabbit 6031 mg/kg Topo / Mouse 0,02 mg/l/8h Ratto / Rat LD50 (Oral): LC50 (Inhalation vapours): DIMETHYL ADIPATE, DIMETHYL GLUTARATE, DIMETHYL SUCCINATE, REACTION MASS LD50 (Dermal): > 2000 mg/kg Rat LD50 (Oral): > 5000 mg/kg Rat LC50 (Inhalation vapours): > 11 mg/l Rat (4h) SKIN CORROSION / IRRITATION Does not meet the classification criteria for this hazard class SERIOUS EYE DAMAGE / IRRITATION Does not meet the classification criteria for this hazard class RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

COMEC ITALIA SRL Revision nr. 3 Dated 19/01/2023 Printed on 19/01/2023 Page n. 8/13 Replaced revision:2 (Dated: 24/02/2021)

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or contaminate soil or vegetation.

12.1. Toxicity

DIETHYLENE GLYCOL MONOETHYL

COMEC ITALIA SRL

DILUENTE: PLD,

Revision nr. 3

Dated 19/01/2023

Printed on 19/01/2023

Page n. 9/13

Replaced revision:2 (Dated: 24/02/2021)

ETHER

LC50 - for Fish 6010 mg/l/96h Pesce OECD 203

EC50 - for Crustacea 1982 mg/l/48h Daphnia magna OECD 202

DIMETHYL ADIPATE, DIMETHYL GLUTARATE, DIMETHYL SUCCINATE,

REACTION MASS

LC50 - for Fish 0,018 mg/l/96h 0,018 - 0,024 / (Pimephales promelas) (72h)

EC50 - for Crustacea 0,112 mg/l/48h 0,112 - 0,15/Daphnia Magna
EC50 - for Algae / Aquatic Plants > 85 mg/l/72h Pseudokirchneriella subcapitata

12.2. Persistence and degradability

DIETHYLENE GLYCOL MONOETHYL

ETHER

Solubility in water 1000 g/l Completamente solubile

Rapidly degradable

DIMETHYL ADIPATE, DIMETHYL GLUTARATE, DIMETHYL SUCCINATE,

REACTION MASS

Solubility in water 30000 mg/l 26000 - 40500 mg/l

Rapidly degradable

12.3. Bioaccumulative potential

DIETHYLENE GLYCOL MONOETHYL

FTHFR

Partition coefficient: n-octanol/water -0,54 misurato

DIMETHYL ADIPATE, DIMETHYL GLUTARATE, DIMETHYL SUCCINATE,

REACTION MASS

Partition coefficient: n-octanol/water 1,4

12.4. Mobility in soil

DIETHYLENE GLYCOL MONOETHYL

ETHER

Partition coefficient: soil/water 20 stimato

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

Information not available

SECTION 13. Disposal considerations

COMEC ITALIA SRL	Revision nr. 3
	Dated 19/01/2023
DILUENTE: PLD,	Printed on 19/01/2023
, and the second	Page n. 10/13
	Replaced revision:2 (Dated: 24/02/2021)
13.1. Waste treatment methods	
Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local recCONTAMINATED PACKAGING Contaminated packaging must be recovered or disposed of in compliance with national waste management regulation	
SECTION 14. Transport information	
The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods be the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA)	by Road (ADR) and by Rail (RID), of regulations.
14.1. UN number or ID number	
not applicable	
14.2. UN proper shipping name	
not applicable	
14.3. Transport hazard class(es)	
not applicable	
14.4. Packing group	
not applicable	
14.5. Environmental hazards	
not applicable	
14.6. Special precautions for user	
not applicable	
14.7. Maritime transport in bulk according to IMO instruments	

COMEC ITALIA SRL Revision nr. 3 Dated 19/01/2023 Printed on 19/01/2023 Page n. 11/13 Replaced revision:2 (Dated: 24/02/2021)

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

None

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage ≥ than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Information not available

15.2. Chemical safety assessment

A chemical safety assessment has not been performed for the preparation/for the substances indicated in section 3.

SECTION 16. Other information

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number

Revision nr. 3 **COMEC ITALIA SRL** Dated 19/01/2023 Printed on 19/01/2023 **DILUENTE: PLD.** Page n. 12/13 Replaced revision:2 (Dated: 24/02/2021)

- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
- 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
- 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP) 14. Regulation (EU) 2018/669 (XI Atp. CLP)
- 15. Regulation (EU) 2019/521 (XII Atp. CLP)
- 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
- 17. Regulation (EU) 2019/1148
- 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
- 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
- 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
- 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- 22. Delegated Regulation (UE) 2022/692 (XVIII Atp. CLP)
- The Merck Index. 10th Edition
- Handling Chemical Safety
- INRS Fiche Toxicologique (toxicological sheet)
- Patty Industrial Hygiene and Toxicology
- N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals Ministry of Health and ISS (Istituto Superiore di Sanità) Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

COMEC ITALIA CDI	Revision nr. 3
COMEC ITALIA SRL	Dated 19/01/2023
DILUENTE: PLD,	Printed on 19/01/2023
J.====.,	Page n. 13/13
	Replaced revision:2 (Dated: 24/02/2021)
This document must not be regarded as a guarantee on any specific product property. The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, collaws and regulations. The producer is relieved from any liability arising from improper uses. Provide appointed staff with adequate training on how to use chemical products. CALCULATION METHODS FOR CLASSIFICATION Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, And chemical-physical properties are reported in section 9. Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined to the product classification is based on calculation methods as per Annex I of CLP, Part 4, unless that the product classification is based on calculation methods as per Annex I of CLP, Part 4, unless that the product classification is based on calculation methods as per Annex I of CLP, Part 4, unless that the product classification is based on calculation methods as per Annex I of CLP, Part 4, unless that the product classification is based on calculation methods as per Annex I of CLP, Part 4, unless that the product classification is based on calculation methods as per Annex I of CLP, Part 4, unless that the product classification is based on calculation methods as per Annex I of CLP, Part 4, unless that the product classification is based on calculation methods as per Annex I of CLP, Part 4, unless that the product classification is based on calculation methods as per Annex I of CLP, Part 4, unless that the product classification is based on calculation methods as per Annex I of CLP, Part 4, unless that the product classification is based on calculation methods as per Annex I of CLP, Part 4, unless that the product classification is based on calculation methods as per Annex I of CLP, Part 4, unless that the product classification is based on calculation methods as per Annex I of CLP, Part 4, unless that the	nex I, Part 2. The data for evaluation of mined otherwise in Section 11.
For information on any exposure scenarios of the substances present in the mixture, contact Sericom Italia srl.	
Changes to previous review: The following sections were modified: 01 / 02 / 03 / 08 / 09 / 11 / 12 / 15 / 16.	